

WARRANTY & SERVICE HANDBOOK



Husqvarna
Group





CONGRATULATIONS ON THE PURCHASE OF YOUR NEW HUSQVARNA GROUP PRODUCT

The strength of the Husqvarna brand has been forged by a history that goes all the way back to 1689 when Husqvarna first laid the foundation for the engineering expertise that has led them to develop world class outdoor power equipment today.

Husqvarna aims to provide you a professional user experience by ensuring your total satisfaction with product performance, reliability and safety.

This booklet explains the warranty and maintenance information for your product. This combined with the knowledge and expertise offered by your local Husqvarna Specialist Servicing Dealer, will provide you support that is certain to exceed all expectations.



CONTENTS

Warranty under the Consumer Protection Act, 2008	2
Statement of limited warranty	3
Warranty periods	4
What is not covered by this limited warranty	5
Items for which a charge will be made	6
Where to go for warranty repairs	7
Your responsibilities	8
Your rights and remedies as a customer	8
Maintenance schedule	9
Air filter maintenance	11
Fuel/oil mixture	12
Dealer service stamps	13
Change of personal details	19

WARRANTY UNDER THE CONSUMER PROTECTION ACT, 2008

The warranty contained in this paragraph only applies if you are:

- An individual; or
- A trust, partnership, close corporation, company or other association of persons having an annual turnover or asset value *below* R2 million at the time of purchasing this product.

The warranty contained in this paragraph does not apply to any trust, partnership, close corporation, company or other association of persons having an annual turnover or asset value of R2 million or more at the time of purchasing the product.

Husqvarna South Africa (Pty) Ltd (“Husqvarna”) warrants that this product:

- Is reasonably suitable for the purposes for which it is generally intended;
- Will be usable and durable for a reasonable period of time;
- Is of good quality, in good working order and free of defects; and
- Complies with any applicable standards set out in the Standards Act, 1993, or any other public regulation.

Despite the contents of this handbook, if this product fails to meet these standards, you may within **6 months** after the date on which you purchased this product, return it to Husqvarna or the retailer from whom you purchased it, with your original sales slip as proof of the time, date and place where the product was purchased, for a full refund, replacement or repair.

If you require the product to be repaired, and the repaired product is still defective, within **3 months** after the date on which it is repaired, you may return the repaired product to Husqvarna or the retailer from whom you purchased the product, for a refund or replacement.

The limited warranty contained in paragraph 2 of this handbook also applied to you. However, if the limited warranty conflicts with the warranty contained in this paragraph, the warranty in this paragraph will apply.

STATEMENT OF LIMITED WARRANTY

Husqvarna provides this limited warranty to you only if you purchased this product from an Authorised Husqvarna Servicing Dealer and only if this product was imported into South Africa by Husqvarna. This limited warranty only applies to this product if this product is found to be defective because of the manner in which it was manufactured. This limited warranty does not apply to the items listed on page 5 of this handbook. This limited warranty commences on the date on which you purchased the product and continues for the warranty period applicable to the product as set out on page 4 of this handbook. If during the applicable warranty period, the manufacturer of this product believes that this product is defective because of the manner in which it was manufactured, Husqvarna, through its Authorised Servicing Dealers, will repair or replace this product without charging you for the repair or replacement as long as;

- You report the fault directly to the Authorised Husqvarna Servicing Dealer;
- You provide the Authorised Husqvarna Servicing Dealer with your tax invoice as proof of when and where you purchased this product;
- The fault is not caused by misuse, neglect or incorrect adjustment;
- The fault has not occurred through normal wear and tear; and
- The product has not been serviced, repaired or modified in any way by any person not authorised by Husqvarna.

THE WARRANTY PERIODS

The warranty periods below commence on the date of purchase. The warranty only covers material defects, assembly faults, and manufacturing defects.

Customer				
Handheld	Finished Product	Accessories/Attachments	PPE & Clothing	Spares
Homeowner	24 months	6 months	6 months	6 months
Landowner (>5000 m ²)	12 months	6 months	6 months	6 months
Commercial	12 months	6 months	6 months	6 months
Hire & Rental	12 months	6 months	6 months	6 months
Wheeled				
Homeowner	24 months	6 months	6 months	6 months
Landowner (>5000 m ²)	12 months	6 months	6 months	6 months
Commercial	12 months	6 months	6 months	6 months
Hire & Rental	12 months	6 months	6 months	6 months

Notes:

- Engines and transmissions are covered by the respective original equipment manufacturers warranty and claims are made direct to the manufacturer.
- As long as the product is repaired by a person approved by Husqvarna, until the date when the warranty period applicable to the product expires, the limited warranty applicable to the product will apply to replacement parts and accessories fitted when the product is repaired during the warranty period.
- The above warranty periods apply to 2-stroke, 4-stroke, electric and battery products.

WHAT IS NOT COVERED BY THIS LIMITED WARRANTY?

The following items are not covered by this limited warranty:

- Product parts which become worn through use and need to be replaced from time to time, such as belts, blades, blade adapters, bulbs, filters, guide bars, lubricants, rewind springs, saw chains, spark plugs, starter ropes, tines, drive chains and sprockets.
- Any natural discolouration the product due to ultraviolet light.
- Product engines and drive systems which have not been manufactured by Husqvarna.
- Damage to the product using stale or incorrect fuel mixture in the product.
- Damage to the product or any failure of the product to function correctly due to incorrect storage and incorrect usage or contact with corrosive substances such as fertiliser, grass and plant residue, palm tree sap, bore hole water and other detrimental environmental exposure.
- Failure to operate or maintain the product in accordance with the Owners/Operators manual, this handbook or instruction furnished by Husqvarna related to South African conditions.
- Alterations or modifications that change the intended use of the product or affect the product's performance, operation, safety, or durability in any way, or cause the product to fail to comply with any applicable standard or regulations.
- Any further damage to parts or components of the product due to continued use occurring after any of the above.

ITEMS FOR WHICH A CHARGE WILL BE MADE

The frequency with which you will be required to repair or adjust this product, or any of the parts of this product will depend mainly on where and how you use this product, and the conditions in which you use the product (including weather, atmospheric and environmental conditions).

The following list is a guide to the types of items and services which you may have to pay for in relation to the use and maintenance of the product.

PLEASE NOTE: These items and services will only be provided free of charge if the product is damaged or defective because of the manner in which the product was manufactured, and you have returned the product to an Authorised Husqvarna Servicing Dealer during the warranty period applicable to the product or product part.

Service: *Maintenance servicing and all parts and fluids replaced in line with the maintenance schedule in this handbook. All serviceable wear and tear items such as carburettor components (kits), fuel filter and air filters etc.*

Mechanical Adjustments: *Including brakes, belts, chains, bars, engine tuning, deck levelling, etc.*

Drive System: *Sprockets, chains, belts, pulleys, mandrel assemblies and drive train bearings require periodic service or replacement due to normal wear and tear.*

Cutting Equipment: *Chains, bars, blades, discs, tines and knives wear during use and sharpening/replacement is required as a matter of normal maintenance.*

Spark Plugs: *Periodic replacement is required to ensure maximum engine performance and best fuel economy.*

Induction/Combustion System: *The removal of deposits and cleaning may be required from time to time and should be performed as necessary.*

Tyres: *Are subject to wear and possible punctures. A flat tyre is not covered by the limited warranty provided in this handbook.*

Steering: *Normal wear and tear of steering components such as ball joints, bushes and bearings.*

Light Bulbs: *Are subject to wear and tear and operational life depends on extent of use.*

External Surfaces, Paint, Trim and other Appearance items: *Are affected by normal wear and tear and exposure to environmental conditions. A charge will be made for paint and trim items that require attention due to causes outside the manufacturers control.*

WHERE TO GO FOR WARRANTY REPAIRS

If this product is defective during the applicable warranty period, you may take this product to any Authorised Husqvarna Servicing Dealer for repairs. All Authorised Husqvarna Servicing Dealers will repair, replace or adjust free of charge any product or any part of your product that the Authorised Husqvarna Servicing Dealer believes is defective because of the manner in which it was manufactured. Please note that this limited warranty does not apply to repairs which are performed by any person other than an Authorised Husqvarna Servicing Dealer.

FOR YOUR NEAREST AUTHORISED HUSQVARNA SERVICING DEALER CALL

HUSQVARNA SOUTH AFRICA

CUSTOMER SERVICE

ShareCall: 08600 48759

YOUR RESPONSIBILITIES

This product is not covered by the limited warranty unless you provide the Authorised Husqvarna Servicing Dealer with an original proof of purchase of the product.

You must at all times use and care for this product in accordance with the instructions contained in the maintenance section of the Owner's/Operator's Manual or this handbook.

You must pay for all costs which you may incur to return the product to an Authorised Husqvarna Servicing Dealer, including shipping and handling costs, travel expenses, lost time, lost production, or pickup and delivery.

YOUR RIGHTS AND REMEDIES AS A CUSTOMER

The limited warranty that is provided by Husqvarna South Africa is in addition to the rights and remedies conferred on you by the relevant authorities and/or legislation. The limited warranty does not affect those rights or remedies, except to the extent that their application may lawfully be excluded.

Any consequential, direct or incidental loss or damage which you may suffer as a result of using this product is not covered by the limited warranty. Any statutory or other rights or remedies available in connection with a claim for such loss or damage should be pursued separately.

MAINTENANCE SCHEDULE - HANDHELD

CHAINSAWS, POLE PRUNING SAWS, POWER CUTTERS	INTERVAL				TRIMMERS, BRUSHCUTTERS, HEDGE TRIMMERS	INTERVAL				BLOWERS	INTERVAL			
	1	2	3	4		1	2	3	4		1	2	3	4
Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I
On/Off Switch	I	I	I	I	On/Off Switch	I	I	I	I	On/Off Switch	I	I	I	I
Choke/Primer	I	I	I	I	Choke/Primer	I	I	I	I	Choke/Primer	I	I	I	I
Throttle Lock	I	I	I	I	Throttle Lock	I	I	I	I	Throttle Trigger	I	I	I	I
Throttle Trigger	I	I	I	I	Throttle Trigger	I	I	I	I	Cables & Connections	I/A	I	I/A	I
Cables & Connections	I/A	I	I/A	I/A	Cables & Connections	I/A	I	I/A	I	Fuel Filter	I	I	R	
Fuel Filter	I	I	R		Fuel Filter	I	I	R		Carburettor	T	T	T	
Carburettor	T	T	T		Carburettor	T	T	T		Air Filter	I	I	C/R	I/C
Air Filter	I	I	C/R	I/C	Air Filter	I	I	C/R	I/C	Spark Plug	I	I/C	R	I
Clutch	I	I	I		Clutch	I	I	I		Cooling Fins	I	I/C	C	
Spark Plug	I	I/C	R	I	Spark Plug	I	I/C	R	I	Starter Cord	I	I	I	I
Cooling Fins	I	I/C	C	C	Cooling Fins	I	I/C	C	C	Starter Housing Vents	I	I/C	I/C	I/C
Starter Cord	I	I	I	I	Starter Cord	I	I	I/R	I	Spark Arrestor	I	I	I/C	I
Starter Housing Vents	I	I/C	I/C	I/C	Starter Housing Vents	I	I/C	C	C	All Screws & Nuts	I	I	I	I
Spark Arrestor	I	I	I/C	I	Spark Arrestor	I	I	I/C	I	Anti Vibration Mounts	I	I	I	
All Screws & Nuts	I	I	I	I	All Screws & Nuts	I	I	I	I	Air Tube	I	I	I	
Anti Vibration Mounts	I	I	I		Anti Vibration Mounts	I	I	I		Bag	I	I	I	
Oil Tank	I	I	I		Blades	I	I/S	I/S	I/R	Blower Fan	I	I	I/C	
Chain Oil Pump	I	I	I	I/A	Nylon Head	I	I	C	I/C	Test Unit	√	√	√	
Sprocket	I	I	I	I	Gearbox	I	I	L	I					
Bar/Dress	I	I	I/C	I/C	Guard	I	I	I/C	I					
Cutting Equipment	I	I/S	I/S	I/S/R	Test Unit	√	√	√						
Chain Catcher	I	I	I	I										
Chain Brake	I	I	I	I										
Test Unit	√	√	√											

LEGEND:

I = inspect, T = Tune, R = Replace, C = Clean, S = Sharpen, A = Adjust, L = Lubricate

INTERVAL:

1 = Pre Delivery, 2 = First Service, 3 = Dealer Service, 4 = Every time the machine is used

DEALER SERVICE:

Homeowner = Every 6 months or 25 hours (whichever occurs first), Commercial = Every 3 months or 100 hours (whichever occurs first)

MAINTENANCE SCHEDULE - WHEELED

RIDE-ON MOWERS	INTERVAL				RIDERS, ZERO TURN MOWERS	INTERVAL				TILLERS, LAWNMOWERS	INTERVAL			
	1	2	3	4		1	2	3	4		1	2	3	4
Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I	Complete Unit	I	I	I/C	I
Coolent & Antifreeze					Coolent & Antifreeze	I	I	I	I	Coolent & Antifreeze				
Ignition Switch	I	I	I	I	Ignition Switch	I	I	I	I	Choke/Primer	I	I	I	I
Choke/Primer	I/A	I	I/A	I	Choke/Primer	I/A	I	I/A	I	Throttle	I/A	I	I/A	I
Throttle	A	I	I/A	I	Throttle	A	I	I/A	I	Cables & Connections	I/A	I	I/A	I
Deck	A	I/A	A/C	I/C	Deck	A	I	A	I/C	Fuel Filter	I	I	R	
Cables & Connections	I/A	I	I/A	I	Cables & Connections	I/A	I	I/A	I	Carburettor	T	T	T	
Fuel Filter	I	I	R		Fuel Filter	I	I	R		Air Filter	I	I	C/R	I/C
Carburettor	T	T	T		Carburettor	T	T	T		Spark Plugs	I	I/C	R	
Air Filter	I	I	C/R	I/C	Air Filter	I	I	C/R	I/C	Cooling Fins	I	I/C	C	
Clutch (if needed)	I	I	I		Clutch (if needed)	I	I	I		Engine Oil (4 stroke)	I	R	R	I
Spark Plugs	I	I/C	R		Spark Plugs	I	I/C	R		Oil Filter (4 stroke if needed)	I	R	R	
Cooling Fins	I	I/C	C		Cooling Fins	I	I/C	C	I/C	Valve Clearances (4 stroke)	I/A		I/A	
Engine Oil	I	R	R	I	Engine Oil	I	R	R	I	Spark Arrestor	I	I	I	I
Oil Filter (if needed)	I	R	R		Oil Filter (if needed)	I	R	R		Blades	I	I	I/R	I
Valve Clearances	I/A		I/A		Valve Clearances	I/A		I/A		Linkages	A	I	A	
Grease Points	L	L	L		Grease Points	L	L	L		Starter Cord	I	I	I	I
Spark Arrestor	I	I	I		Spark Arrestor	I	I	I		Drive System (if fitted)	I/A	I/A	I/A	I/A
Tyre Pressures	A	A	A	I	Tyre Pressures	A	A	A	I	Belts (if fitted)	I	I	I	I
Battery	I	I	I		Battery	I	I	I		Gearbox Oil/Grease	I	I	I/R	I
Belts	I	I	I	I	Belts	I	I	I	I	Handles	I/A	I/A	A	
Blades	I	I	S	I	Blades	I	I	S	I	Test Unit	√	√	√	
Steering	I	I	I		Steering	I	I	I						
Linkages	A	I	A		Linkages	A	I	A						
Transmission	I	I	I		Transmissions	I	I	I	I/C					
Test Unit	√	√	√		Hydraulic Systems	I	I	I						
					Test Unit	√	√	√						

LEGEND:

I = inspect, T = Tune, R = Replace, C = Clean, S = Sharpen, A = Adjust, L = Lubricate

INTERVAL:

1 = Pre Delivery, 2 = First Service, 3 = Dealer Service, 4 = Every time the machine is used

DEALER SERVICE:

Homeowner = Every 6 months or 25 hours (whichever occurs first), Commercial = Every 3 months or 100 hours (whichever occurs first)

NOTE:

Transmission service: Oil change every 300 hours or annually (whichever occurs first)

MAINTENANCE SCHEDULE - BATTERY

CHAINSAWS		
DAILY MAINTENANCE	WEEKLY MAINTENANCE	MONTHLY MAINTENANCE
Clean the outside of the machine before and after use with a clean and dry cloth. Never use water.	File off any burrs from the edges of the bar.	Check the connections between the battery and the machine and also check the connection between battery and the battery charger.
Check that the components of the power trigger work safely. (Power trigger lockout and power trigger.)		Empty the oil tank and clean the inside.
Clean the chain brake and check that it operates safely. Make sure that the chain catcher is undamaged, and replace it if necessary.		Blow through the product and battery cooling slots gently with compressed air.
The bar should be turned daily for more even wear. Check the lubrication hole in the bar, to be sure it is not clogged. Clean the bar groove. If the bar has a sprocket tip, this should be lubricated.		
Check that the bar and chain are getting sufficient oil.		
Check the saw chain with regard to visible cracks in the rivets and links, whether the saw chain is stiff or whether the rivets and links are abnormally worn. Replace if necessary.		
Sharpen the chain and check its tension and condition. Check the drive sprocket for excessive wear and replace if necessary.		
Clean the machines air inlet.		
Check that nuts and screws are tight.		
Check that the keypad works correctly and is not damaged.		

MAINTENANCE SCHEDULE - BATTERY

POLE PRUNING SAWS, TRIMMERS, BRUSHCUTTERS, HEDGE TRIMMERS, BLOWERS		
DAILY MAINTENANCE	WEEKLY MAINTENANCE	MONTHLY MAINTENANCE
Clean the outside of the machine before and after use with a clean and dry cloth. Never use water.	Check that all couplings, connections and cables are intact and free from dirt.	Check the connections between battery and machine and also check the connection between battery and battery charger.
Keep the handle dry and free of grease and oil.	Clean the chip guard (Pole saw).	
Make sure that the activate and deactivate button works correctly and is not damaged.	Check that the screws that hold the blades together are correctly tightened (Hedge trimmer).	
Check that all controls are undamaged and in working order. Check that nuts and screws are tight.		
Make sure that the power trigger lock and the power trigger function works correctly from a safety point of view.		
Check that the battery is in tact and check the battery's charge. Check that the battery charger is intact and functional.		
Check that the release buttons on the battery work and lock the battery into the machine.		
Ensure that the chip guard is undamaged and is not cracked. Replace the guard if it has been exposed to impact or is cracked (Pole saw).		
Clean oil tank vent (Pole saw).		
Check that the cutter and cutter guard are not damaged or cracked. Replace the cutter or cutter guard if they have been exposed to impact or if they are cracked (Hedge trimmer).		
Replace the cutting unit if it is bent or damaged (Hedge trimmer).		
Check that the guard is undamaged and not cracked. Replace the guard if it has been exposed to impact or is cracked.		
Check that the trimmer head is undamaged and not cracked. Replace the trimmer head if necessary.		

MAINTENANCE SCHEDULE - BATTERY

BLOWERS		
DAILY MAINTENANCE	WEEKLY MAINTENANCE	MONTHLY MAINTENANCE
Clean the outside of the machine before and after use with a clean and dry cloth. Never use water.	Check that all couplings, connections and cables are intact and free from dirt.	Check the connections between the battery and the machine and also check the connection between battery and the battery charger.
Keep the handle dry and free of grease and oil.		
Make sure that the activate and deactivate button works correctly and is not damaged.		
Make sure the throttle is functioning properly with regard to safety.		
Check that nuts and screws are tight.		
Check that the battery is intact.		
Check the battery's charge.		
Check that the release buttons on the battery works and locks the battery into the machine.		
Check that the battery charger is intact and functional.		

MAINTENANCE SCHEDULE - ROBOTICS

AUTOMOWER®		
PLEASE NOTE	WEEKLY MAINTENANCE	DEALER SERVICE
Check and clean the robotic lawnmower regularly and replace worn parts if necessary to improve operating reliability and to ensure a longer service life.	The blade disc and blades should be inspected once a week.	If necessary the dealer can also update the robotic lawnmower with new software, including new features where applicable.
To reduce the risk of damage to electrical components in the robotic lawnmower and its charging station, we recommend that all connections to the charging station are disconnected (power supply, boundary wire and guide wires) if there is a risk of a thunderstorm.	Thorough cleaning of the body, the chassis, the blade disc and all other moving parts.	
	Testing of the mower's function and components.	
	Checking and if required replacement of wear items such as blades and bearings.	
	Clean the underside of the chassis. Brush or wipe with a damp cloth.	
	Clean around the front wheels and rear wheels as well as the front wheel suspension.	
	Use a damp, soft sponge or cloth to clean the body. If the body is very dirty it may be necessary to use a soap solution or washing-up liquid.	
	Clean the charging station regularly from grass, leaves, twigs and other objects that may impede docking.	

AIR FILTER MAINTENANCE FOR HUSQVARNA POWER PRODUCTS OPERATING IN SOUTH AFRICAN CONDITIONS

Many areas have a dry, dusty environment, and so caring for the air filter fitted to your new Husqvarna product is an extremely important task. Therefore, the following instructions must be adhered to.

Foam air filters: All foam air filters must be treated with FOAM FILTER OIL before the new machine is used. The foam filter oil must be reapplied every time the air filter is cleaned. The foam filter oil helps to trap dust particles that otherwise could be ingested into the engine.

Felt Filters: (non woven) The minimum requirements for felt air filters is that it be treated with two-stroke fuel mixture. The use of fabric filter oil spray is strongly recommended.

Paper filters: It is not possible to successfully clean a paper air filter without the risk of damaging it; therefore, paper air filters should always be replaced when dirty.

Nylon Filters: Regular cleaning is required.

Air filter cleaning instructions: The interval between air filter cleaning will vary for each application.

1. Move the choke control to the ON position to prevent particles of dirt entering the air intake or carburettor.
2. Carefully remove the air filter and gently tap the air filter frame against a firm object to dislodge any accumulation of dust particles.
3. If the air filter has two halves, insert a screwdriver between the moulded lugs and carefully separate them by twisting the screwdriver.
4. Using warm water and detergent (dishwashing liquid) or a specialised filter cleaner, agitate the air filter vigorously to wash the dirt from the felt material. Allow the air filter to dry completely before reassembly and treatment.

NOTE:

- An air filter that has been in service for a long time cannot be completely cleaned. Therefore, air filters must be replaced at regular intervals - worn or damaged air filters should never be used and must be replaced immediately.
- Do not use compressed air or a stiff brush - as this may damage the filter.
- Your Authorised Husqvarna Servicing Dealer will be able to provide additional advice on air filter maintenance.

FUEL/OIL MIXTURE RECOMMENDATION FOR HUSQVARNA POWER PRODUCTS OPERATING IN SOUTH AFRICAN CONDITIONS

FUEL TYPES: Husqvarna two stroke engines are designed to run on clean, fresh, unleaded petrol.

OIL TYPES: Husqvarna two stroke engines require a two stroke oil designed and formulated for high performance, air cooled, two stroke engines.

The preferred oil is **Husqvarna Branded Two Stroke Oil** which has been specially developed for high performance air cooled two stroke engines.

If you have chosen to use an alternative two stroke oil, you must use a high performance air cooled, two stroke oil, mixed at the oil manufacturer's recommendation.

FUEL / OIL MIX RATIOS		
OIL	PETROL	50 : 1 For Husqvarna 2 stroke engines using Husqvarna Branded Oil.
40 ml	2 litres	
100 ml	5 litres	
200 ml	10 litres	

PRE DELIVERY INSPECTION

The Pre Delivery Inspection is carried out before we hand the product over to you, so that you can use your new product right from the start.

The Pre Delivery Inspection
was carried out on:

By:

Dealers Stamp

FIRST SERVICE

The first service should be performed within 8 hours use or 3 months (which ever comes first).

The First Service
was carried out on:

By:

Dealers Stamp

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date

DEALER SERVICE

The Dealer service
was carried out on:

By:

Dealers Stamp

Estimated next service date



CHANGE OF PERSONAL DETAILS

To keep your personal details up-to-date, simply fill in the following information and post to the relevant office listed below.

Owners Name: _____
(Given Names) (Surname)

Model: _____ Serial Number: _____

Please check appropriate boxes

New Address

Name/Address change/correction : _____ Address : _____

Request to stop direct mail : _____ _____ Post code : _____

Request to access personal information : _____ Phone (B) : _____ Phone (H) : _____

Request for Privacy policy : _____ Mobile : _____ Email : _____

Post to:

Husqvarna South Africa (Pty) Ltd, Postnet Suite 250, Private Bag X6, Cascades, 3202

Phone: 033 846 9700 | ShareCall: 08600 48759

NOTES





South Africa:

Husqvarna South Africa (Pty) Ltd

Postnet Suite 250

Private Bag X6

Cascades, 3202

Phone: 033 846 9700 | ShareCall: 08600 48759